

4200/6200 Series Desiger/Picture Windowss

A designer windows in a wide variety of shapes to complement most unique architectural designs, while continuing to meet hurricane impact resistant requirements.

4200 Hurricane Guard® Designer Window

Get a designer look without sacrificing strength and durability. Classic styling showcases this window's up-to-the-minute impact resistant technology.

6200 Hurricane Guard® Fixed Picture Window

A fixed picture window that offers high visibility and all the protection of our Hurricane Guard® impact-resistant protection features.

- Heavy-duty all aluminum construction.
- Extruded aluminum glazing bead provides a strong, clean and neat appearance.
- Available in a variety of fixed lite, picture window and designer styles and configurations.
- Profile extruded aluminum muntins. Optional stainless steel package available.
- Flange type frame for masonry construction or integral fin type frame for wood construction.
- Available in clear glass standard, High Peformance IG LoE 366 & monolithic LoE 62/27 and tinted interlayer colors of gray, bronze, green, white or blue. Custom glass types double or triple interlayer tints are available as a special order. Available in energy-efficient insulated laminated glass.
- Available in Fullview, Brittany, Colonial and Custom Lite styles.
- · Available in White or Bronze powder coat painted finishes.
- Meets or exceeds all Florida building codes for HVHZ hurricane zones.










4200/6200 Designer/Picture Window Series

Specialty Windows




SPECIFICATIONS


Maximum Size Maximum Design Pressure Glass Thickness Muntin Frame Color Frame Depth Miami-Dade County NOA

60" x 74" and 36" x 120" Per Notice of Acceptance 7/16" or 13/16" IG Profile Exterior/Flat Interior White, Bronze 2-5/8" Refer to lawsonwindows.com


Glazing Styles







Lite Styles



Glazing Colors (other colors, textures & glass types available as custom order)















CLEAR



BRONZE INTERLAYER



BLUE INTERLAYER



WHITE INTERLAYER

LoE366 LoE366 + LoE6727 LoE6727 + LoE6727 + WHITE/GREY INTERLAYER WHITE/GREY INTERLAYER **GREY INTERLAYER**



OBSCURE PATTERN 62









7700 SeriesSingle Hung Windows

Traditional good looks with a state-of-the-art weather protection.

- Heavy-duty all aluminum construction.
- Block and tackle balances for effortless sash operation.
- Double lift rail on sash for ease of opening and closing.
- Energy-efficient full perimeter sash weatherstripping.
- Available in standard and special window sizes.
- Available in clear glass standard, High Peformance IG LoE 366 & monolithic LoE 62/27, and tinted interlayer colors of gray, bronze, green, white or blue. Custom glass types double or triple interlayer tints are available as a special order. Available in energy-efficient insulated laminated glass.
- Available in 1/1, 2/2, Brittany, Colonial and Custom Lite styles.
- Available in White or Bronze powder coat painted finishes.
- Available in Fullview, Brittany, Colonial and Custom Lite styles.
- Available in White or Bronze powder coat painted finishes.
- Meets or exceeds all Florida building codes for HVHZ hurricane zones.













WHITE BRONZE





7700 Series Single Hung Windows - Standard Commodity Sizes (WxH)

SH-12	19-1/8" x 26"	SH-H32
SH-13	19-1/8" x 38-3/8"	SH-H33
SH-14	19-1/8" x 50-5/8"	SH-H34
SH-15	19-1/8" x 63"	SH-H35
SH-16	19-1/8" x 74-1/4"	SH-H36
SH-22	37" x 26"	SH-32
SH-23	37" x 38-3/8"	SH-33
SH-24	37" x 50-5/8"	SH-34
SH-25	37" x 63"	SH-35
SH-26	37" x 74-1/4"	SH-36

78"	height	available	up	to 4	48"	wide

SH-H32	26-1/2" x 26"
SH-H33	26-1/2" x 38-3/8"
SH-H34	26-1/2" x 50-5/8"
SH-H35	26-1/2" x 63"
SH-H36	26-1/2" x 74-1/4"
SH-32	53-1/8" x 26"
SH-33	53-1/8" x 38-3/8"
SH-34	53-1/8" x 50-5/8"
SH-35	53-1/8" x 63"

53-1/8" x 74-1/4"


SPECIFICATIONS

Maximum Size	53-1/8" x 74-1/4"
Maximum Design Pressure	+80 / -80 PSF
Glass Thickness	5/16" or 11/16 IG
Muntin	Profile Exterior/Flat Interior
Frame Color	White, Bronze
Frame Depth	2-5/8"
Miami-Dade County NOA	Refer to lawsonwindows.com

Glazing Styles



COLONIAL





Glazing Colors (other colors, textures & glass types available as custom order)







GREY INTERLAYER



BRONZE INTERLAYER



GREEN INTERLAYER



BLUE INTERLAYER



WHITE INTERLAYER



GRAY/WHITE INTERLAYER



OBSCURE PATTERN 62



LoE366



LoE366 + WHITE/GREY INTERLAYER



LoE6727



LoE6727 + **GREY INTERLAYER**



LoE6727 + WHITE/GREY INTERLAYER











8700 Series Horizontal Roller Windows

The choice for those who want the convenience of a horizontal rolling window plus the strength and protection of Hurricane Guard® technology.

- Heavy-duty all aluminum construction.
- Extruded aluminum glazing bead.
- Full perimeter vent weatherstripping for energy efficiency.
- Vent pull rail with full panel interlock for easy operation and maximum strength.
- Available in XO, OX and XOX configurations.
- Brass sash rollers with stainless steel axle for effortless vent operation.
- Available in clear glass standard, High Peformance IG LoE 366 & monolithic LoE 62/27, and tinted interlayer colors of gray, bronze, green, white or blue. Custom glass types double or triple interlayer tints are available as a special order. Available in energy-efficient insulated laminated glass.
- Available in 1/1, 2/2, Brittany, Colonial and Custom Lite styles.
- Available in White or Bronze powder coat painted finishes.
- Available in Fullview, Brittany, Colonial and Custom Lite styles.
- Available in White or Bronze powder coat painted finishes.
- Meets or exceeds all Florida building codes for HVHZ hurricane zones.







Available in:





WHITE

BRONZE



8700 Series Horizontal Roller Windows - Standard Commodity Sizes (WxH)


HR-H32	26-1/2" x 26"
HR-H33	26-1/2" x 38-3/8"
HR-H34	26-1/2" x 50-5/8"
HR-H35	26-1/2" x 63"
HR22	37" x 26"
HR23	37" x 38-3/8"
HR24	37" x 50-5/8"
HR25	37" x 63"
HR26	37" x 74-1/4"
D32	106-1/4" x 26"
D33	106-1/4" x 38-3/8"
D34	106-1/4" x 50-5/8"
D35	106-1/4" x 63"


HR32	53-1/8" x 26"
HR33	53-1/8" x 38-3/8"
HR34	53-1/8" x 50-5/8"
HR35	53-1/8" x 63"
HR36	53-1/8" x 74-1/4"
D22	74" x 26"
D23	74" x 38-3/8"
D24	74" x 50-5/8"
D25	74" x 63"
D26	74" x 74-1/4"
T22	111" x 26"
T23	111" x 38-3/8"
T24	111" x 50-5/8"
T25	111" x 63"


SPECIFICATIONS

Maximum Size	53-1/8" x 63" and 72" x 60"
Configurations	X0, 0X, X0X
Maximum Design Pressure	Per Notice of Acceptance
Glass Thickness	5/16" or 11/16" IG
Muntin	Profile Exterior/Flat Interior
Frame Color	White, Bronze
Frame Depth	2-5/8"
Miami-Dade County NOA	Refer to lawsonwindows.com


Glazing Styles







Lite Styles



Glazing Colors (other colors, textures & Glass types available as custom order)





GREY INTERLAYER



BRONZE INTERLAYER



GREEN INTERLAYER



BLUE INTERLAYER



WHITE INTERLAYER



GRAY/WHITE INTERLAYER



OBSCURE PATTERN 62



LoE366



LoE366 + WHITE/GREY INTERLAYER



LoE6727



LoE6727 + GREY INTERLAYER



LoE6727 + WHITE/GREY INTERLAYER







